



NORA Aluminium

Very light and flexible standing and raising aid made of aluminium, with special adaptation options for shorter residents

Improving mobility

Providing a higher quality of life for your residents ...





Activating your residents is one of the most important tasks of nursing ...

Our innovative NORA Aluminium standing and raising aid has been designed specifically for residents who still have the ability to stand for a short time with the help of supporting aids. Here, NORA Aluminium is the ideal tool for transporting such residents safely and comfortably without putting any strain on the nurse's back and, for example, facilitating transfer to the toilet. Today, increasing mobility and targeted activation of residents is part of every nursing guideline.

NORA Aluminium offers excellent opportunities to re-mobilise your residents in a targeted manner and to stabilise and improve the musculoskeletal system and thus also circulation. This will demonstrably lead to a higher quality of life for your residents. Our NORA Aluminium allows for targeted, slow and safe raising of residents up until full vertical load on the legs.

NORA Aluminium standing and raising aid

Very light and manoeuvrable thanks to its aluminium construction ...



Special adaptation for shorter residents ...



Additional sling attachment points for persons of up to 1.60 m of height

With other active lifters, shorter residents with a body height of up to 1.60 m have the problem of not being able to stand upright. Getting into an upright position with these lifters can be unpleasant and painful for shorter residents. Our NORA Aluminium therefore offers two additional mounting pins to attach the slings to enable shorter residents to stand safely and comfortably without putting strain on their back and shoulders.


Flexible, double knee pads adjustable to multiple heights

Our ergonomically formed, flexible double knee pads are stored individually, and the height can additionally be adjusted for optimum adaptation when used by shorter residents. Due to such option for individual adaptation to the body height, there is no painful pressure on the kneecap of your residents while standing.



Benefits for your nurses and residents ...

- ❑ The perfect tool for mobility and transfer
- ❑ Lightweight construction with aluminium components, very easy to manoeuvre
- ❑ Additional sling attachment points specially for lifting shorter residents up to 1.60m of body height
- ❑ Flexible, height-adjustable knee pads with safety slings, specially adjustable for shorter residents
- ❑ Electrically spreadable carrier frame
- ❑ No strain/damage to the spine of the nurse while transferring
- ❑ Can also be used for showering the seat area
- ❑ Handling possible by a single nurse
- ❑ High flexibility due to a new sling and ergonomic concept while lifting
- ❑ Wide lifting range with emergency lowering function
- ❑ Secured castors and ergonomic handles



Characteristics of NORA Aluminium

The effective relief in daily care ...





1 The ergonomic handles allow for an optimum holding position for steering.



2 Handles with 2 additional sling attachment points especially for shorter residents of up to 1.60 m of body height.



3 Cable remote control with display of battery charge status.



4 Flexible, height-adjustable knee pads with safety slings, especially adaptable for smaller residents of up to 1.60 m of height.



5 Easily moveable Steinco castors with two lockable ones for more safety while raising.



6 Light aluminium construction. Carrier frame, lifting column and add-on components made of 100% aluminium.



7 Electrically spreadable carrier frame.



8 Can also be used for showering the seat area.



9 Specially designed, high-quality lifting slings available in different sizes.

Technical data of NORA Aluminium

Max. weight of patient	200 kg
Total weight	50.7 kg
Total length	1,027 mm
External width of closed carrier frame	700 mm
Internal width of spread carrier frame	897 mm
Height of carrier frame	126 mm
Min. lifting height	898 mm
Max. lifting height	1.726 mm
Total height	1.168 mm
Battery	24 V

Accessories/Options

Comfort lifting slings (available in different sizes, standard sizes S-XL)
Double knee pads
Spare battery 24 V
Wall charger

